

# Certificate of Analysis



Client:  
**nexaph.com**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Key=DNBCQASKGVHH

## Sample Information

Sample Name	Sema 12mg	Client SID	Sema 12mg Blue cap/Purple crimp Batch: SEM1011102024-02	Analysis Date	2024-11-15
-------------	-----------	------------	---	---------------	------------

## Results

### Lab Analyses

Sample ID	SPL-0147-S01	SPL-0147
TM-1002 Semaglutide ID by RT	1.00	1.00
TM-1002 Semaglutide ID by Spectral	1000	1000
TM-1002 Semaglutide Assay	12.155 mg	12.230 mg
TM-1002 Semaglutide Purity	99.849 %	99.748 %
TM-1002 Coelution Control	998	998
TM-1002 System Suit	0.3 %RSD	0.3 %RSD

## Approvals

Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director

▲ Result out of client specified range.

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of TrustPointe Analytics LLC

## Attachments for SPL-0147



Attachment for SPL-0147  
Filename: SPL-0147.PNG